

BPRIM: An integrated framework for business process management and risk management

Elyes Lamine, Rafika Thabet, Amadou Sienou, Dominik Bork, Franck Fontanili, and Herve Pingaud

To appear in Volume 117 of:

Computers in Industry

©2020 CC-BY-NC-ND by Elsevier.

Final version available via: <u>https://doi.org/10.1016/j.compind.2020.103199</u>



BPRIM: An Integrated Framework for Business Process Management and Risk Management

Abstract

Enterprise engineering deals with the design of processes which aim to improve the structure and efficiency of business organizations. It develops approaches based on modeling techniques, particularly on business process modeling, to ensure the quality and the global consistency of enterprise strategies and expectations. Nowadays, risk consideration in enterprise engineering is a growing concern since the business environment is becoming more and more competitive, complex, and unpredictable. To face this concern, a paradigm named Risk-aware Business Process Management (R-BPM) has recently emerged. It seeks to integrate the two traditionally isolated fields of risk management and business process management. Despite the significant benefits that can arise from the use of R-BPM, it suffers from a lack of solid scientific foundations and dedicated tooling. This present research work contributes to bridging that gap in a twofold way: i) by establishing the BPRIM Business Process-Risk Integrated Method framework, and ii) by designing a dedicated tool, named AdoBPRIM which supports the efficient application of the BPRIM framework. This paper first comprehensively presents the foundation of BPRIM which is based on three main components and, secondly, its dedicated tool AdoBPRIM which was designed using the ADOxx meta-modeling platform. An evaluation with a real case study in the health care domain shows the relevance of the methodological framework.

Keywords: Business Process Management, Enterprise Risk Management, Risk-aware Business Process Management, Model-Driven Engineering, Meta-modeling, Medication-use process

1. Introduction

Business process management (BPM) is both a management discipline and a set of technologies that support managing by process [1]. It is a paradigm of enterprise engineering that consists of designing, implementing, controlling and improving business processes in order to increase the ability of the organization to achieve a global high level of performance. BPM has shown, over the past decade, to be a valuable approach to confer maturity and agility to organizations applying it [2].

In the context of BPM, a business process is a symbolic resource, designed to coordinate value production by organizations [3, 4]. However, the value creation is threatened whenever the process is exposed to unexpected 8 events, whose occurrence can lead to an interruption of business activities. Hence, a business process is somehow 9 subject to the same qualification and availability requirements as a hardware, software or human resource before 10 commissioning. Although this observation is widely shared, using the process model in order to preserve the level of 11 business performance is at present an original approach of business process management. However, there exists a quite 12 recent awareness, promoted by the principle of Business Continuity Management (BCM) [5, 6], which significantly 13 drives the use of concepts from the Enterprise Risk Management (ERM) within business process management concepts. 14 ERM is indeed a systematic approach that sets the best course of actions under uncertainty by identifying, assessing, 15 understanding, acting on, and communicating risk issues [7]. It may confer robustness required to maintain performance 16 in a changing environment, not necessarily predictable, dominated by the hazard of internal and/or external sources. 17 These observations led to the emergence of the risk manager job profile in large organizations. Having its roots in 18 areas such as project management, finance, and industrial safety, risk management has evolved toward an established 19 activity in its own right, cross-cutting and transcending professions within organizations. Indeed, risk management 20 is of increasing importance as business processes tend to be outsourced into the cloud [8] or executed via Internet of 21

²² Things devices [9].

In light of many events which happened in the last decade, leading to large scandals, it is becoming essential to bring 23 the risk management practices closer to the business process management domain [10]. Several studies [11, 12, 13] 24 outline that the identification of risks contributes to a better understanding of potential threats to business objectives. 25 Identification is reached by eliciting useful knowledge for both the risk and business process managers. In this context, 26 clarifying the many relationships between risks and business processes in their nominal operating condition is a major 27 issue and a prerequisite to controlling risks. Regarding risk analysis, the resulting integrated risk and business process 28 model will help control various risk factors and danger quantification in view of the exposure to given risks. In fact, the risk manager will use the risk factors knowledge in the context of processes to better conduct risk analysis and 30 handling. Regarding the treatment of risks, the model will also provide useful knowledge for preventive and curative 31 actions, since the risk context (i.e., the business process and its environment) is known and formalized in the model. 32 From a business process management point of view, process engineers and process managers could refer to risk models 33 for decisions concerning process engineering and control due to a better understanding of the relationships between 34 processes and risks. 35

The need to embed risks into business process models, has motivated the development of risk-aware business process management (R-BPM) [14, 15], which aims at supporting risk and business managers at different life cycle 37 phases and organizational levels. R-BPM promotes risk consideration in the early stages of business processes 38 management and enables robust and efficient business process management within uncertain and highly changing 39 environments. Although the objectives of R-BPM are very ambitious, scientific research in this field, compared to what 40 is published in BPM and ERM, is scarce and in premature stage. Indeed, studies in this area are confined to a field 41 of specific applications (finance, IT, etc.) or specific stages of the life cycle (design-time, assessment, etc.). There is 42 no methodological framework to structure and equip this new paradigm in a comprehensive manner and there is no 43 integrated approach covering both the different stages of the BPM life cycle and the ERM life cycle.

Since our research contributes to the promotion of this new field, this paper introduces the field of risk-aware 45 business process management and its practical considerations. This is a proposition to set the first foundations of a new 46 framework called BPRIM (Business Process-Risk Integrated Method). BPRIM contributes bridging the gap of mature 47 and comprehensive R-BPM approaches by strengthening the business process management approach and including risk management capabilities. Integrating models from two disciplines is not new in itself. It is well known and 49 used in e.g., model-driven enterprise engineering and enterprise architecture management, where models facilitate the 50 integrated description and control of an organization's structure, processes, applications, systems and techniques [16]. 51 BPRIM supports also both human-interpretable graphical models that act as machine-interpretable knowledge base. 52 Our proposal therefore fits into the call for next-generation of enterprise information systems "which embed modelling 53 tools and algorithms for model analysis" [17, p.77]. 54

This paper presents recent achievements of an ongoing long-term research stream - first ideas were presented 55 in [18, 19, 20] - devoted to model-driven enterprise engineering through integrated consideration of risk and process 56 management. The integration aims to lead to an improved performance, thanks to the use of a common shared 57 knowledge. Drawing upon the principles of enterprise architecture, the BPRIM framework provides insights and 58 value-driven models able to support risk and process managers in their duties. BPRIM is based on an integrated management method and a dedicated modeling language. Beyond an up-to-date literature overview on R-BPM, further 60 main contributions of this paper are the provision of a comprehensive overview of the revised foundations of the BPRIM 61 framework, an introduction of a modeling tool supporting BPRIM called ADoBPRIM, and an industrial real-world 62 case study showing the application of BPRIM in the health care sector. The BPRIM framework is built on three major 63 pillars: (1) A coupling of risk and business process management life cycles; (2) A unified meta-model for risk and 64 business processes; and (3) A modeling language for the description of risky situations from the common perspective 65 of risk and process experts. 66

The remainder of this article is structured as follows. First, we give in Section 2 an overview of the related works on the coupling of BPM and ERM and argue about the importance of a methodological support to the integrated management of process-risks. In section 3, we focus our endeavour on the detailed presentation of the main components of the BPRIM framework. Section 4 then introduces the ADOBPRIM modeling tool realized with the meta-modeling platform ADOxx. An evaluation of the use of the BPRIM framework through a real case study from the health sector and a discussion of its current strengths and limitations are presented in Section 5. Eventually, Section 6 concludes the

73 paper and outlines directions for future work.



Figure 1: Components of modeling methods [21]

74 2. Background and Related Works

In this section, we introduce the necessary theoretical foundations of conceptual modeling before giving a brief
 synopsis of the relevant literature considering risk-aware business process management (R-BPM).

77 2.1. Conceptual Modeling Methods

Conceptual modeling refers to the creation of an abstract visual representation of selected real-world phenomena. 78 Conceptual models are created by humans and serve the purposes of specification and understanding of complex 79 systems by applying abstraction [22]. In this regard, conceptual models respect the cognitive capabilities of human 80 beings. The creation of a conceptual model is guided by a conceptual modeling language, comprising the syntactic 81 concepts (or abstract syntax), notation guidelines (or concrete syntax) and semantic specifications. In a broader sense, 82 adding a modeling procedure as well as mechanisms & algorithms that process the knowledge codified in the conceptual 83 models derives what is being referred to in the following as a conceptual modeling method. Figure 1 visualizes the 84 components of a modeling method and their relationships. 85

Conceptual modeling has emerged from being applied in general-purpose settings, e.g., in the database domain 86 to define an abstract representation for the relational algebra or in the software engineering domain to define the 87 structure of software systems prior to their implementation. It enables diagrammatic representations of formalized 88 domain-specific knowledge that is intersubjectively understandable and machine processable [23]. In recent years, a 89 number of domain-specific conceptual modeling languages (DSML) and methods have been researched (cf. [24] for a 90 selection of DSMLs of the OMiLAB [25]). The strength of such DSMLs is the possibility to align all components of the 91 modeling method, i.e., modeling language, modeling procedure, and mechanisms & algorithms (see Figure 1), to the 92 specific needs, requirements, and aptitudes of the specific domain and identified stakeholders. This understanding of a 93 modeling method has laid the foundation for developing the BPRIM framework which will be introduced in Section 3. 94

95 2.2. R-BPM Motivation

Business Process Management promotes reactivity and operational flexibility of organizations. It aims at improved 96 overall performance and fulfilled external stakeholders' expectations. Managing business processes, concerns un-97 derstanding the relationship between the location of value creation and the value itself [2]. This is achieved roughly 98 through the steps of planning, designing, and execution. By contrast, enterprise risk management (ERM) seeks to 99 100 improve decisions in an uncertain environment for handling the preservation of value. ERM establishes a balance between the expectations in a range of acceptable variations in value and ensures effective deployment of resources. 101 Risk management promotes a good appreciation of the richness and the fineness of the relationship between value and 102 value preservation [26]. 103

BPM life cycle stages								
design-time	run-time							
Rosemann and Muehlen [11] Jakoubi et al. [13] Panayiotou et al. [30] Weiss and Winkelmann [32] Rotaru et al. [34] Strecker et al. [36] Fenz [38] Bai et al. [40] Shabnam et al. [42] Lhannaoui et al. [43] Shah et al. [44] Pittl et al. [45]	Jans et al. [28] Wickboldt et al. [29] Rogge-Solti and Weske [31] Haggag et al. [33] Pika et al. [35] Conforti et al. [37] Kim et al. [39] Metzger and Bohn [41]							

Table 1: R-BPM approaches categorized according to the BPM life cycle stage where they consider risk, in chronological order

These two management approaches intrinsically seem to be independent from each other and form two complementary fields. However, an integrated approach would enable managers to improve decisions in the value creation activities in order to increase the ability of preserving the value itself. Business process management designs, deploys, and manages the value creation process, while risk management looks for the preservation of value. A couple of recent research works have delivered interesting discussions on the challenges of integrating BPM and ERM - giving birth to the Risk-aware Business Process Management (R-BPM) research field.

R-BPM is widely defined as the integration of risk aspects into business process management in order to increase the
 risk-awareness of an organization's business processes. This integration enables the efficient identification, detection,
 and management of process-related risks [27]. R-BPM promotes risk consideration in all stages of business processes
 management and enables a robust and efficient business process management within an uncertain environment.

114 2.3. Current R-BPM Approaches

R-BPM approaches aim to extend conventional BPM approaches by establishing awareness for external, contextual
 elements that impact the way processes are executed or managed. Generally, R-BPM approaches are categorized
 according to the BPM life cycle [15] stage where they integrate risk aspects. Two categories are distinguished in the
 following (see Table 1):

• R-BPM approaches at the *design-time stage*: approaches which focus on risk management during the design-time phase of business processes, often referred to as *risk prediction*;

• R-BPM approaches at the *run-time stage*: approaches which focus on risk management during and after the execution of business processes, often referred to as *risk monitoring*.

As shown in Table 1, most recent R-BPM approaches concentrate on the design-time stage of the BPM life cycle. Obviously, managing risks in business process starts by a convenient representation of risks and their characteristics in business process models. This representation allows for an understanding of the risk origins in business processes, their impact on these processes, and the control and mitigation strategies in place. The approaches shown in Table 1 developed different strategies to deal with this issue.

An extensive literature review in the area of risk-aware BPM is presented in [14] and [15]. We can note from their findings that there are only a limited number of articles dealing with this area of research. These R-BPM approaches could be classified into two categories with regard to the risk modeling consideration: (1) those that introduce new risk-related constructs in order to incorporate risk information into the business process model; and (2) those that attempt to reason risks using risk analysis methods or techniques without the introduction of new constructs. Because the research and practice of risk-aware business process modeling is still very limited, the level of research in this area requires further exploration, as outlined in their conclusions.

[11] is the first work that deals with risk-aware business process modeling. In this work, Event-driven Process
 Chains (EPC) are extended to consider risks, enabling the assignment of risks to individual parts of the EPC process.

In the same context, several other works have also proposed new graphical notations to represent risks by the EPC 137 language such as [34]. In [34], the Value-Focused Process Engineering (VFPE) model, which is based on the extended 138 EPC model, is further extended in order to formalize the risk concept within business process models. The proposed 139 approach attempts to represent risks in goal-oriented process models. It also proposes several constraints to formalize 140 the notion of a risk-aware EPC model. This approach provides a procedural method for identifying process-related 141 risks and associating those risks with the business process model. The proposed model is related to the model in [11]. 142 In contrast, in [46, 47, 48], a semi-formal extension of risk-related modeling constructs to the Business Process 143 Model and Notation (BPMN) standard is developed. By applying these constructs, one can encode risk-related 144 information into a process model, such as the various risk events that can occur and the mitigation actions that can be 145 taken. [49, 50] also propose an extension of BPMN with Information System Security Risk domain model (ISSRM) 146 concepts [51]. The authors illustrate how the extended BPMN could express assets, risks and risk treatment on few 147 running examples related to an Internet store's assets confidentiality, integrity, and availability. Their proposal would 148 allow system analysts to understand how to develop security requirements to secure important assets defined through 149 business processes. 150

Similarly, [52, 53] propose a BPMN extension for risk handling. In these works, the authors take advantage of
 the functionality of the error event as it is of particular importance in risk management. Accordingly, identified risks
 are assigned to processes, sub-processes, or activities to which these risks apply. The standard BPMN language
 was furthermore extended with the modeling construct of risk factor, characterizing a potential risk in terms of type,
 likelihood, and impact on business process as a whole. Risk factors are assigned to BPMN sequence flows.

In [32], the Semantic Business Process Modeling Language (SBPML) is extended with a number of risk-related constructs and graphical notations such as risk events, risk control actions, and risk types. This approach addresses the operational risks in the specific context of the finance domain.

In [54, 55, 56], the Risk-Oriented Process Evaluation (ROPE) approach is introduced, which proposes a three-layer model to capture the notion of risk within a business process model. The top one is the business layer which consists of business process activities. These activities are decomposed into their corresponding Condition, Action, Resource and Environment (CARE) elements to form the middle layer of the model. The bottom one is called the Threat Impact Process layer that captures various threats that may affect the corresponding CARE elements and the counter measure activities. The authors described a simulation process for assessing the impact of threats on the process activities.

A comparative study of the most relevant approaches related to BPRIM is provided by Table 2. This comparison is carried out in accordance with the following criteria whose first three items match with the main components of modeling methods as proposed in [21]:

- Modeling Language: indicates which modeling language is used to represent risk and business process;
- Modeling Procedure: indicates whether the approach describes the steps for creating models using the modeling language (i.e., a life cycle);
- Mechanisms and Algorithms: indicates whether the approach provides functionality to use and evaluate models;
- Application Domain: indicates the application domain;
- Risk constructs characterization: indicates the degree of risk characterization in business process models;
- Risk Formalization: indicates whether the approach proposes novel constructs to capture risk-related information.
 We assume that the proposed risk constructs are formalized in terms of abstract syntax whether the approach specifies the risk construct using appropriate formal description techniques [60]; concrete syntax (or Notation) whether the approach specifies the graphical representation of the proposed risk constructs [60]; and semantics -
- whether the approach specifies the meaning of and operations applied upon the proposed risk constructs using
 appropriate formal techniques.
- Tool Support: indicates whether the approach is supported by a tool that permits the creation of models.

The symbol (-) indicates that an approach does not support a criteria, the symbol (+) indicates that an approach largely supports a criteria, and the symbol (\pm) indicates that an approach partially supports a criteria.

		Risk-aware	Modeling Method		Risk Formalization				
R-BPM Approaches	Application Domain	Modeling Language	Mechanisms & Algorithms	Modeling Procedure	Risk constructs characterization	Abstract syntax	Notation	Semantic	Tool support
Jakoubi et al. [57][56]	Generic	ROPE	-	-	±	-	+	-	±
Cope et al. [47, 48]	Generic	Extended- BPMN	±	±	±	+	+	-	-
Varela-Vaca et al. [49] [50]	Security Engineering	Extended- BPMN	+	±	±	+	+	±	+
Weiss and Winkelmann [32]	Finance	Extended- SBPML	_	_	+	+	+	-	-
Rotaru et al. [34]	Generic	Extended- EPC	-	-	+	+	+	±	-
Betz et al. [58]	Generic	Xnets	-	_	±	+	+	-	+
Strecker et al. [36] [59]	Generic	RiskML	-	-	-	+	+	-	-
Altuhhov et al. [53]	Security Engineering	Extended- BPMN	±	±	±	+	+	±	+
Lhannaoui et al. [43]	Generic	Extended- EPC	±	±	±	-	+	-	-
Pittl et al. [45]	Generic	SWRL	+	±	±	+	+	+	+
Shah et al. [44]	Manufacturing	Extended- IDEF3	+	±	±	+	-	-	-

Table 2: Comparative overview of risk integration in recent R-BPM approaches

183 2.4. Summary of R-BPM Approaches

Overall, the presented approaches mainly concentrate on the concrete syntax definition of risk constructs. For 184 instance, the approach proposed in [57], proposes a set of graphical notations to represent risk elements that can 185 be associated to business process activities. However, few approaches tried to formalize the abstract syntax of risk 186 constructs. Among these few, we highlight the works of Cope et al. [47, 48], Strecker et al. [36], Betz et al. [58], 187 and Weiss and Winkelmann [32] which design a meta-model to formally [23] specify the abstract syntax of their risk 188 constructs. We furthermore found that, with the exception of the work of Pittl et al. [45] and Weiss and Winkelmann 189 [32], the majority of the recent R-BPM approaches are not guided by any existing risk standards. Lastly, only very few 190 of these approaches (4 out of 11) have full tool support provided. As a consequence, we are highlighting a serious 191 R-BPM research gaps. 192

To advance the theory of risk in the business process design context and establish sound foundations for R-BPM, three research questions have to be answered. For every research question, we depict the contribution that this paper makes in this respect:

¹⁹⁶ 1. How can the two life cycles of BPM and ERM be coupled? This article proposes a dedicated R-BPM life cycle.

What are the relationships between the BPM and the ERM concepts? This article proposes a unified meta-model for integrated risk and business process management.

 Which modeling method could support such a unified meta-model? This article proposed the BPRIM method and ADOBPRIM as a corresponding modeling tool.

201 3. A Unified Framework for Risk and Business Processes Management

This paper develops a comprehensive, unifying and model-based framework named BPRIM for Business Process-Risk Integrated Method. It is a methodological framework based on the coupling of two typically separate parts -

²⁰⁴ process management and risk management. This section describes the major components of the BPRIM framework:

(1) The BPRIM life cycle (Section 3.1); (2) The BPRIM meta-model (Section 3.2); and (3) The BPRIM modeling language (Section 3.3).

207 3.1. BPRIM Life Cycle

Applying BPM and ERM typically follows a procedural approach, known as the BPM life cycle and ERM life cycle, respectively. When aiming to integrate BPM and ERM, one naturally faces the challenge of integrating both life cycles. In the specific case of BPRIM, the challenge was to develop a life cycle that enables the design of risk-aware business process models. The BPRIM life cycle couples steps of the process management life cycle with those of risk management. This coupling can be made according to one of the following two approaches:

A *unification approach* that fuses different states of each individual life cycle to form a coherent whole. This approach requires the reconsideration of the logical activity sequences of each individual life cycle. The unified life cycle induces a significant change in the practices of BPM and ERM actors. It is a prescriptive approach, white box-like.

An *integration approach* is based on the principle of the black box and attempts to link the two individual life cycles by working on interfaces seeking to build relationships between their outputs and their respective inputs.
 This approach, which is descriptive, strengthens communication between the teams in charge of the cycles while minimizing changes to each individual life cycle.

In order to maintain the autonomy of business experts and risk experts and to facilitate the appropriation of BPRIM, 221 we adopted the integration approach to design the BPRIM life cycle [18, 20]. The underlying assumption was that any 222 activity is prone to risk and there is no risk without an associated activity. We therefore naturally chose the business 223 process management life cycle as starting point. Consequently, the risk management life cycle will be driven by the 224 process management life cycle. Indeed, in order to produce a new representation of the organization, i.e. the "To-Be" 225 model, the description of how the organization works effectively, i.e. the "As-Is" model of the organization, must be 226 defined before risks can be considered. Besides, it is the same vision that has been taken in the majority of the work on 227 R-BPM [13, 61, 15]. This brings us to distinguish two major phases in the final cycle: a conceptual phase associated 228 with the design of the processes which are prone to risks; followed by an *operational phase* concerned with the steering 229 process led by risks. 230

In this work, the emphasis is on the conceptual phase of Risk-aware Business Process Management. In order to 231 define the life cycle steps of this phase, we started from the BPM and the ERM life cycles that are most commonly 232 accepted by their respective scientific communities, namely those proposed in [2, 62]. Then, we adopted a Structured 233 Analysis for Real Time (S.A.R.T) method to study the information flows that can occur among the stages of the two 234 cycles. This choice was motivated by the fact that we wanted to focus on the identification of existing interfaces 235 between the different stages of the two isolated cycles and, in particular also, where data comes from, goes to, and 236 where it will be stored. The S.A.R.T method is a structured analysis and design method which is widely used to 237 graphically model these kind of data transformations in a system. It includes data-flow diagrams (DFD) to depict 238 the data flow and supports decomposition mechanisms to display the inputs-outputs details of each component of the 239 studied system [63]. 240

Accordingly, we assumed that interaction will be primarily embedded in a set of models shared by the two cycles according to a supplier-consumer relationship. The result visualized in Figure 2 is an alternating digraph which specifies all interactions between the two life cycles. The arcs are labelled to indicate the usage and storage of data in the target life cycle step or BPRIM model. Common models (items in bold in Figure 2) to steps of process design and risk management are placed in the centre of the graph. Generally, the BPRIM models act as database for the data to be created, used, and shared. The detailed description of these BPRIM models is given in Table 4. An analysis of the graph in Figure 2 leads to the following observations:

The business process models are the main inputs for the "Setting the context" step of the ERM life cycle which aims to establish the scope of the risk management project. The steps of discovering business scenario, modeling processes, and setting the risk context are similar since they result in a set of models which support process and risk analysis.

• The steps of process analysis and risk analysis are related, which can be observed by the strong connectivity within these two stages in Figure 2. Indeed, the analysis step is based on the knowledge of risk analysis and risk assessment to guide the design of a new target process. In addition, the risk analysis is based on the results of the process analysis to determine risk levels, or propose criteria for classification of risks in a risk map.



Figure 2: Overview of interactions between process design stages and risk management stages

On the basis of these observations, we have completed this first flow-oriented modeling step in order to propose a 256 coupling between the two life cycles which takes into consideration the temporal chronology. Indeed, the DFD-based 257 modeling does not allow to study the temporal logic of the processes themselves. We chose Business Process Model 258 and Notation (BPMN) to establish these models which are displayed in Figure 3. Following the temporal chronology 259 of the comprehensive process and according to the similarity of the purposes sought by "Discover" and "Setting the 260 context" activities, these latter shall be meld with "Model" activity into a scoping step that aims at setting up a context 261 common to process design and risk management. The business model and the context model of risk are the main 262 output of this common step. By the same logic, "Analyze the processes" and "Analyze risks" activities shall be merged 263 into a single activity. This latter should be incorporated then into a more comprehensive step which aims to assess 264 process-related risks. 265

The comprehensive analysis of the BPM and ERM life cycles models guided the design of the generalized Business Process Risk Integration Method (BPRIM) life cycle for Risk-aware Business Process Management at design-time (see Figure 3). The iteractive BPRIM life cycle is triggered by a process-engineering environment and gradually enriched by a risk management process. It consists of the following four phases:

Contextualize: This phase aims at setting up the context of the joint management of risks and processes. It can be triggered by a decision affecting a significant change of the context such as the establishment of a new treatment alternative.



Figure 3: BPRIM Life Cycle

- Assess: This phase comprises the identification and implementation of the joint study of risks and processes to understand their interactions and possible impact. The outcome is necessary to prioritize risks and foster the development of risk treatment alternatives.
- Treat: This phase considers the definition of a set of treatment alternatives which triggers a new iteration of the assessment phase in order to understand the possible impact of the alternatives. This phase can lead to a reframing meaning going back to the contextualization phase which would require the implementation of risk handling actions. This is being done by fitting the models or by defining treatment alternatives. The risk handling scenarios that require no change of models will be stored to be triggered once needed.
- 4. Monitor: In this phase, a monitoring takes place, checking whether decisions regarding treatment alternatives 281 have been taken according to predefined instructions. It also ensures those alternatives which cannot be 282 implemented through a simple change of process models at design-time will be transferred to be considered at 283 deployment time. It is therefore a control phase, which provides guidance for refinement of the models or the 284 transition to the implementation phase. However, at run-time phase, the handling of risks that evolves over time 285 is carried out by a change in the model, which is compliant with the ISO 31000 specification. In other words, 28 knowledge related to the model evolves with the real system behaviour (as depicted in Figure 3 by the cycle loop 287 after the monitor activity). This is also the case for risks that have not been anticipated yet. 288
- As we noted earlier, the information exchanged between these phases will be essentially contained in a wide range of BPRIM models and as displayed in Table 4. Based on model-driven engineering principles, these models must conform to a meta-model, which integrates concepts related to both, business processes and risks. The meta-model supporting the BPRIM method is developed in the next section.



(a) Excerpt of the Risk Meta-Model



3.2. BPRIM Meta-Model

The BPRIM meta-model specifies the main concepts handled during the different stages of the BPRIM life cycle and the allowed relationships between them. It considers the static aspects of BPRIM which guide and constrain the development of models. The BPRIM meta-model puts forward a conceptual unification of risks and processes into a common meta-model allowing to comprehensively address the semantics of R-BPM artefacts. The BPRIM meta-model was based on one hand on the business process meta-model proposed in the ISO 19440:2007 standard [64] and on the other hand on our proposition of a risk meta-model [18, 65]

The ISO 19440:2007 standard [64] provides an abstraction level which fully matches conceptual modeling of 300 business processes from the semantic point of view and offers guidelines which meet an organization's needs. It consists 301 of four parts, each linked to a point of view of the enterprise. The Organizational Management View describes the 302 responsibilities and the authorities in the domain of the enterprise. The Information View describes the elements of 303 information that represent the objects of the enterprise (material and informational objects) that are produced and used 304 for the operations of the enterprise. The Resource View describes the assets and the resources of the enterprise (e.g., 305 human resources, technology components). The Functions View describes the business processes, their functionality, 306 behaviours, inputs, and outputs. 307

Concerning risk modeling, we have noted a lack of conceptual models playing a similar role as ISO 19440 for 308 business processes modeling. This observation led to the proposition of a meta-model for risk, which is based on the 309 study of the internal structure of risks. Figure 4a conceptualizes our vision of a risk meta-model. It defines risk with 310 regard to the causal and the consequence perspectives. The causal aspect consists of risk factors that are favourable 311 for the occurrence of a given risk event. Here, an event is an occurrence, which may cause state transitions within a 312 system. This risk event is considered being the root cause of a risk situation, which describes a possible state of the 313 system under study. The state is evaluated in terms of impact (positive or negative). The causality and the impact is 314 315 interpreted by a set of actors while considering their interests, which is defined in the context of risk. Handling the risk to be acceptable is achieved by making decisions with regard to establishing control mechanisms affecting the cause or 316 the consequence. 317

A subsequent mapping of relationships between these two meta-models is based on the concept of *Value*. Undeniably, this concept of Value is a hotly debated issue in enterprise management (rules and values), in deployment of



Figure 5: Excerpt of BPRIM Meta-Model

organizational strategy, in performance management, in design, in functional analysis, and in value-based management [66, 67]. For example, we remind that business processes have been popularized as vectors of value creation by

[68, p. 38], who states that "a business process is a collection of activities that takes one or more kinds of inputs and

³²³ creates outputs that is of value for the customer".

Considering most definitions, value creation seems to be a main characteristic of business processes. However, the concept of value seems to be ignored while conceptualizing business processes. In general, value designates the assessment of a value object by a given stakeholder. This assessment is either quantitatively or qualitatively evaluated in terms of value levels. A value describes the interest of a stakeholder for a given object and is interpreted by stakeholders. In this work, we follow the conceptualization of value as shown in Figure 4b.

Since a business process is a vector for value creation, a given object can be assessed different values by different stakeholders. For example, the performance is important for the process owner, while compliance is relevant to the quality manager and work safety to the risk manager. Furthermore, the consequence part of risk is evaluated in terms of impact. Since, risks are able to cause value modifications, it is easy to link a business process to a risk by defining the impact of the risk as a perception in the variation of the value level. Considering business processes, a risk is

11

	BPR	RIM object types	BPRIM relation types					
1	Risk Factor	Characteristics of the system af- fecting the cause or the conse- quence of risk.	1		8	Influence relation of a factor on an event. Inter-event influence relation.		
2	Risk Situation	The state in which a risk event may lead the system.	4	∽⊳	6	Representation of the belonging of the risk to a risk class. The direction indicates the class of risk.		
3	Value	The value exposed to risk.	4		4	Representation of the risk aggre- gation relationship.		
4	Risk	The possibility of a situation af- fecting an asset.	4	→	4	Representation of the risk gener- alization relationship. The direc- tion indicates the general risk.		
5	Control	Activities planed or executed in order to face a risk.	8		2	Causality relation between an event and a risk situation.		
6	R Risk Class	Construct that represents a class including a breakdown structure of risks.	2		3	Impact relation between risk sit- uation and asset.		
7	Risk Indicator	Construct that represents a risk indicator.	4		7	Association which could outline relationship between risk and risk manager, or between risk and risk indicator.		
8	Event	Construct that represents a non- risky related event.	4		*	Affect association which outlines that a given risk acts on a given business process concepts (pro- cess, activity, and object).		
9	Stakeholder	Organizational unit that is involved in risk assessment.	3		9	Interest relation between a stake- holder and an asset.		
10	AND OR XOR	AND operator, OR Operator and XOR Operator.	4	;>	5	Treatment relation between risk and risk treatment measure.		

Table 3: Excerpt of the BPRIM modeling language for risk modeling

able to modify the value interpreted by a set of stakeholders. A risk may cause, for example, performance, quality or
 compliance variations. Risk-aware business process engineering is expected to provide means so that such variations
 could be controlled.

This understanding of the value concept allowed us to establish the relationships between the concepts provided by business process management and risk management. Figure 5 visualizes the core of the BPRIM meta-model for risk-aware business process management. Here, for instance, the business process is considered as being by itself a key value object of an organization. The values related to this object are expressed by key stakeholders of the organization. For clarification purpose, the process performance is for example a value. Any objects able to cause a performance variation is a risk factor that will increase the likelihood of occurrence of an instability (risk situation).

³⁴³ Other meta-model elements contribute to semantically relate concepts of risk and process. Examples of such semantic

relationships are the three different source/target relationships between risk, domain, business process, and enterprise activity, specifying the different kinds of elements responsible for either triggering a risk or being affected by a risk.

346 3.3. BPRIM Modeling Language

The BPRIM language is designed to enable model-based risk-aware business process management. The starting point for the design of this language is the definition of the abstract syntax based on the integrated meta-model of Figure 5. The second step is to define the concrete syntax, i.e., the graphical symbols used by the modeler to design and by the model user to easily interpret BPRIM models.

Given the intention to facilitate the appropriation of this new language, efforts have been made to reuse process 351 modeling language concepts potential users are likely already familiar with. One of the most relevant languages that 352 fits our needs is the Extended Event-Driven Process Chain (eEPC) [69]. In a previously realized model mapping effort 353 reported in [20], we realized that eEPCs incorporate constructs and a graphical notation for modeling the majority of 354 the concepts introduced by the ISO/DIS 19440 and support the view-based approach. Model views enable clear and 355 precise representation of different aspects of an organization with different levels of abstraction. Another argument for 356 choosing eEPC is its openness for extensions. For example, in an eEPC process diagram, one can graphically specify 357 the objective of an activity and also the physical and human resources required for its implementation. It is important to 358 note that this ability to represent the organizational elements with a sufficient level of detail (in terms of responsibility, 359 role, and owner) is essential for risk analysis. Hence, it is worth highlighting that the BPMN language is not able to 360 handle this crucial need since it neither permits to connect multiple resource allocations to the same activity, nor to 361 model objectives. We point out that logical operators of EPC correspond to business rules in ISO/DIS 19440. 362

BPRIM model	Aims	BPRIM Life cycle step	Content	BPRIM diagram
Business Process Model	Manage relationships and concepts specific to the company.	Contextualize	Business Process, Enterprise Activity, Event, Data Function, Information, Resource, Organizational unit, etc.	 Chain diagram for the macro process Organizational diagram EPC diagram
Risk Context Model	Manages relationships among assets, stakeholders and values.	Contextualize	Organizational unit, Organizational role, Operational role, Value, etc.	- Risk Context diagram
Risk Analysis Model	Relates causes and consequences of risk.	Assess	Risk factor, Risk event, Risk situation, stakeholder, Value, etc.	- Risk Analysis diagram - Cause diagram
Risk Characterization Model	Characterize the risk in its environment	Assess	Risk, Risk class, Risk indicator, etc.	- Risk extended EPC diagram - Risk diagram - Risk Inventory diagram - Risk Relationship diagram
Risk Mapping Model	Promote an overview of risk exposure and support action decisions.	Assess and Treat	Risk, Severity, Likelihood, Criticality.	- Risk Mapping diagram
Treatment Scenarios Model	Manage treatment scenarios and understand their effects on risk mapping.	Treat	Control, Treatment, Risk, Risk Indicator, etc.	- Risk extended EPC diagram

Table 4: Correspondences between BPRIM models and BPRIM diagrams in the process risk design cycle

The BPRIM modeling language reuses eEPC constructs and notations and extends them with additional language constructs for risk-aware business process management by specialization (e.g. event, stakeholder, and process), new operators (e.g. operators between risk and treatment methods), and the related grammar with new relationships (e.g. compositional relationships, generalization between risks) [19, 70, 71]. Table 3 lists the basic elements concerned with risk modeling in BPRIM with their graphical representation.

In order to simplify the inherent complexity of dealing simultaneously with risks and business processes, we have 368 applied a viewing mechanism on top of the integrated BPRIM meta-model. This viewing mechanisms utilizes the 369 complexity reduction mechanism of model viewing by concentrating on selected aspects individually. Consequently, 370 the different views, represented as diagrams, use only a subset of the BPRIM modeling language which reduces the 371 complexity of model creation for users and improves comprehension of models by human beings. The overarching 372 BPRIM model is then re-constructed by combining the information covered in multiple views. Some of the BPRIM 373 diagrams such as EPC and Organigram are well known in enterprise modeling and already integrated into several 374 enterprise modeling tools. Others like the context diagram, risk diagram, and risk analysis diagram have been newly 375 introduced in order to meet the specific needs of BPRIM. Table 4 outlines the aims and content of the newly introduced 37

³⁷⁷ BPRIM diagrams (using bold font).

4. Implementation of ADOBPRIM on ADOxx

Technical feasibility of the BPRIM framework is evaluated by a conceptualization and implementation of BPRIM

with the ADOxx meta-modeling platform [72]. This section briefly elaborates on the building blocks of ADOxx before

the ADOBPRIM tool will be presented.

Framework	Freeware License	user-friendliness	Required knowledge	Multi-user	Repository provision	Supporting user-defined notations	Supporting Multi-view modeling	Supporting user-defined algorithms	Object Configuration	Querying objects	Simulation	Model checking and Validation
MetaEdit+	No	0	None	0	•	•	•	•	•	\bigcirc	\bigcirc	•
EMF (GEF, GMF)	Yes	\bigcirc	Java	\bigcirc	\bigcirc	O	•	•	•	\bigcirc	\bigcirc	•
Sirus	Yes	lacksquare	Java	\bigcirc	\bigcirc	O	•	•	•	\bigcirc	\bigcirc	•
ADOxx	Yes	\bullet	None	\bullet	•	•	\bullet	•	•	\bullet	\bullet	\bullet
MS DSL Tools	Yes	lacksquare	C#	\bigcirc	\bigcirc	O	•	•	•	\bigcirc	\bigcirc	•
Oryx	Yes	٠	JSON	\bigcirc	\bigcirc	•	•	•	•	٠	\bigcirc	•
\bigcirc = Not supported; \bigcirc = Partially supported; \bigcirc = Fully supported												

Table 5: Comparing several meta-modeling platforms

382 4.1. ADOxx meta-modeling platform

To prepare the ground for the implementation of the BPRIM method as a modeling tool, we have investigated 383 and analyzed several meta-modeling platforms such as (EMF) [73], Sirius [74], MetaEdit+ [75], Oryx [76], MS 384 DSL Tools [77] and ADOxx [72]. These paltforms usually provide many features required for the implementation 385 of modeling tools for graphical modeling languages. The criteria used for the analysis of these platforms are derived 386 from BPRIM requirements and presented in Table 5. The comparison focuses on the software licensing, the user-387 friendliness, the required knowledge, the collaborative functionality (e.g., multi-user, Repository provision), the ability 388 to accommodate user-defined notations, to support multi-view modeling, to implement user-defined algorithms, to 389 configure objects in models, to query models, to simulate models, and the ability to check models. 390

Compared to the others, ADOxx is a multi-user platform that provides a repository based on a relational database for meta-models and models. It is build upon the conceptual modeling framework visualized in Figure 1. To introduce meta-models to ADOxx, no advanced knowledge of a programming language is required - in contrast to the use of the



Figure 6: Overview of the ADOBPRIM modeling tool

EMF with the Graphical Editing Framework (GEF) and the Graphical Modeling Framework (GMF) which requires a deep knowledge of the Java programming language. In addition, the ADOxx platform provides functionality which facilitates the management of models in the created modeling tool. For instance, ADOxx provides components and modules to analyze, simulate, and evaluate models. Besides, ADOxx has been widely used in industry and academia. In the past twenty years, tool support for more than 40 domain-specific modeling languages has been realized with ADOxx (see [24] for an overview). Based on these observations, we have chosen the ADOxx platform to implement

the BPRIM method and to realize the ADOBPRIM tool.

401 4.2. ADOBPRIM Modeling Tool

The main goal of the ADOBPRIM modeling tool is to enable the graphical editing of artifacts conforming to the BPRIM meta-model. Moreover, ADOBPRIM will enable to analyze, and asses risks of a business process by following the BPRIM life cycle. In this regard, we have adopted the approach advocated by Bork and Sinz [78] to implement ADOBPRIM with ADOxx. The approach is based on three stages:

- Introducing the modeling language by defining a mapping between the language concepts and the concepts provided by the ADOxx meta-metamodel [21];
- ⁴⁰⁸ 2. Designing the graphical visualization of the modeling language concepts in ADOxx;
- Implementing mechanisms & algorithms which process the knowledge captured in the models, thereby increasing
 the value of the modeling method and the utility of the modeling tool and realizing the modeling procedure.

Figure 6 gives an overview of the realized ADOBPRIM modeling tool. The ADOBPRIM diagrams (see Table 4) are realized as *model types* in ADOxx and mapped to specific stages of the BPRIM life cycle (left side of Figure 6). By this structure, the ADOBPRIM tool guides the user in choosing the right diagram according to the currently engaged BPRIM life cycle stage. As shown on the right side and bottom of Figure 6, the graphic notation palettes are contextualized according to the model type that the user has selected. In this regard, ADOBPRIM supports multi-view modeling and
 hides complexity from the user. Based on the BPRIM life cycle, a modeling procedure has been realized which exploits
 the following mechanisms and algorithms:

- Verification/Validation: verification and validation functionalities are specified on different levels, ranging from *cardinality checks* as syntactical checks (checking whether all constraints of the BPRIM modeling language are satisfied) to source-target validation. The objective of this mechanism is to ensure the accuracy of diagrams created by checking their structure according to several defined syntactic and semantic rules.
- **Risk Assessment:** The risk analysis model is analyzed and evaluated using a risk assessment matrix. The latter is a classical method to conduct qualitative risk assessment. The objective of this mechanism is to automatically produce a risk matrix which visualizes the different risk levels. To this end, some basic rules should be followed:
- The basis for risks to happen is the standard definition of risk criticity as a combination of severity of
 the consequences and its likelihood. The output risk level is determined by the product of severity of
 consequences and likelihood, and illustrated in a two dimensional risk matrix.
- 2. Severity of consequences, likelihood, and risk level can be divided into different levels, respectively, with
 qualitative descriptions and scales.
- 3. Definitions for the qualitative values (i.e. minor, major, medium, high, very high) were based on qualitative
 scales defined by the Haute Autorité de Santé (National Authority for Health in France- or HAS).
- 4. Based on the acceptance criteria, we defined three risk levels: low, moderate, and high.

The tool has been developed as a project within the Open Models Laboratory, a worldwide community of modelers and modeling method developers [25]. A free download and further information on ADOBPRIM are available through the corresponding project page¹.

436 **5. Experimentation and evaluation**

The aim of our experiment is: (1) to evaluate the capabilities of the BPRIM method to analyze risks and business processes in an integrated manner, (2) to determine its advantages and limitations compared to currently used methods, in particular the ALARM (Association of Litigation and Risk Management) method [79], and (3) to identify potential improvements of the proposed approach. For reliable results, similarly to [80], we use a real world case study to evaluate our BPRIM framework. Indeed, we modeled and analyzed the medication-use process within an existing hospital in France.

This Section is structured as follows: Section 5.1 briefly provides the context of the experimentation. The method used for conducting the experiment is then outlined in Section 5.2. Eventually, Section 5.3 discusses the experimentation results with a focus on lessons learned and requirements for further improvements of BPRIM.

446 5.1. Experiment Context

The medication-use process is the fundamental system which provides the basis for safe medication use within the health care environment. Thus, ensuring medications are used and secured in the most appropriate manner and across all settings [81]. It consists in a complex and multidisciplinary process, involving numerous practitioners and it is composed of several stages (i.e. prescribing, dispensing, administration and medication monitoring). Indeed, it may involve up to 36 activities from the moment a doctor considers prescribing medication to the moment when this medication is actually administered or taken by the patient.

This complexity causes a risk of Medication Errors (ME), which can involve serious consequences for the patients. Indeed, in 2015, the French National Authority for Health (FNAH) considers that 40% of the serious adverse events are of medication error origin. For this reason, the safety of this process is at the heart of the guardianships in health care facilities. In 1995, the work of Leape and Bates [82] radically changed the way people think about the causes of medication error. They highlighted that error is often the end result of a complex chain of events that either contributes

¹ADOBPRIM project page [online]: http://austria.omilab.org/psm/content/BPRIM/info, last visited: 08.07.2019



Figure 7: Risk Context (top left), EPC (top right), Risk extended EPC (bottom left), and Risk Analysis (bottom right) diagrams in AdoBPRIM

to the error or renders it difficult to detect. Their work demonstrated the need for a systems approach to the medication
 error problem. Coupled with mounting public concern and awareness of the medication error problem, the physician
 and pharmacy leaders were sensitized to explore new approaches for medication error management [83].

Currently, some risk management methods are used in health care facilities. These methods essentially focus on teamwork (intervention of pharmacists, doctors, nurses and risk management team) to reduce the number of Adverse Drug Events (ADEs) due to medication errors. Specific structures, called Experience Feedback Committees (EFCs), were created to analyze ADEs within a medical department. An EFC is a multidisciplinary team representing the diversity of the functions encountered in the medical unit. The EFC members meet regularly to examine reported ADEs. The principle is to choose only one ADE per meeting in order to analyze it thoroughly and propose corrective actions. The choice is based either on the severity of the event or on its likelihood.

To analyze an ADE, the committee uses the so-called ALARM (Association of Litigation and Risk Management)

⁴⁶⁹ method [79]. ALARM aims to get a picture-pause of the current situation and to identify the latent factors that have

contributed to cause the ADE so as to set up error reduction strategies. Medication errors may be classified according
to the stage of the medication-use process in which they occur (prescribing, dispensing, administration or monitoring).
The experiments have been conducted with the Intercommunal Hospital Center of Castres-Mazamet (CHIC) and
focus on the quality control of its medication-use process for elderly in the Geriatric department. This choice is largely
motivated by the fact that older adults are at a greater risk of medication errors. Indeed, they tend to take multiple
medications (i,e, five or more prescribed drugs) during a day, referred as poly-pharmacy. In such multiple medication
settings, quality and safety of the medication use process is highly sensitive.

477 5.2. Experiment Method

The experiment was carried out in four main stages over a period of six months. Several actors of the CHIC were involved in this experiment, specifically two doctors, three nurses, two pharmacists, one pharmacy technician, and the Quality Manager of the hospital.

• In the first stage of experimentation, we observed the medication-use process in the Geriatric department at CHIC 481 in order to define the study perimeter, to identify the involved stakeholders, and to create the as-is models of the medication-use process. At this stage, it's worth noting that a training was provided for the identified stakeholders 483 to introduce the main concepts of BPRIM and to show the use of the ADOBPRIM tool. A focus at this stage was 484 for participants to discover the different BPRIM diagrams and to understand their aims. The deliverable at this 485 stage was one context diagram, four value-added chain diagrams and 14 EPC diagrams presenting a detailed 486 functional and organizational view on the medication-use process in the Geriatric department. These diagrams 487 were created and validated in collaboration with the experimentation team. All participants agreed on the models, 488 representing the current way to perform the process. 489

In the second stage we observed the risk management method which is currently used in this department. To this
 end, we have joined and participated in an Experience Feedback Committee meeting where an Adverse Drug
 Event was analyzed by a multidisciplinary team using the ALARM method.

• In the third stage of experimentation, we studied 10 real serious ADEs that have been reported by professionals 493 related to the medication-use process in Geriatric department at CHIC. The ADEs had been analyzed by the 494 EFC using the ALARM method. The aim of this stage was to analyze these ADEs with the BPRIM method 495 and compare the gained results with those produced by the ALARM method. To this end, we analyzed, for 496 each ADE, potential and reported facts and risk events that contribute to the ADE occurrence. Afterwards, we 497 evaluated each ADE using the risk matrix defined by the French National Authority for Health (HAS). The 498 deliverable at this stage was one BPRIM Risk diagram and one BPRIM Risk Analysis diagram for each ADE. After all ADEs were analyzed, a BPRIM Risk Map was produced that ranked all ADEs by criticality order (as 500 shown in Figure 8). These diagrams were also subsequently validated by the experimentation team. This enabled 501 us to trace advantages and current weakness of our approach. 502

• In the last stage of the experimentation we dealt with the validation and evaluation of the overall experiment results. It was performed in accordance with the stakeholders involved with this experimentation and other staff at CHIC. At this stage, value creation and preservation were deeply discussed.

The repository of models developed during the experimentation currently holds around 50 BPRIM models validated in collaboration with end-users (doctors and supporting project partners), some of which are presented in Figure 7.

508 5.3. Experiment Results

This experimentation allows us to evaluate the feasibility and the relevance of the BPRIM framework with respect to its support of Risk-aware Business Process Management. Moreover, we are able to compare BPRIM to an existing method which was used at CHIC. Regarding the chosen application field, it is worth noting that people in charge of the medication-use process and health system at large, are not yet familiar with R-BPM approaches and that their risk management tools are often limited to the use of simple spreadsheet files listing the most frequent risks. This is why the use of the BPRIM framework has been proved more efficient than the traditional method since it was able to formalize more knowledge about risks allowing more comprehensive analysis in a business process context. BPRIM evolves the



Figure 8: Evaluation of ADE accordingly to the French National Authority for Health recommendations

state of the art from survey based methods with literal means of investigation and analysis to a graphic based method
 with algorithms.

⁵¹⁸ By carrying out a critical view of the used risk method in CHIC, we can say that error is often the end result of

a complex chain of various factors and risk events that contributes to the ADEs occurrence. Therefore, analysis of

ADEs should focus on the vulnerabilities of the medication-use process rather than on individual errors. Thus, key to

analyzing ADEs is a well understood medication-use process that sheds light to the vulnerabilities and weaknesses

related to the organization. This is why the BPRIM method recommends to create an as-is view of the system under

⁵²³ study prior to the analysis stage.

Thanks to the ADOBPRIM tool, we efficiently designed more than 50 diagrams that allowed us to place the identified risks in their business process context and to automatically evaluate them in order to prioritize the potential risks. As a result, a broader knowledge base has been established, which is useful for the effective management of the hospital medication-use process and compliance control. This knowledge base was shared, thanks to ADOBPRIM, among several actors involved within this process for checking and validation.

This experimentation revealed that new users of ADOBPRIM easily adopted the tool which enabled them to enhance the knowledge base by adding several new diagrams and linking them to other related diagrams. Users also argue on the gain they will achieve by sharing the knowledge base with colleagues. Indeed, it allows them to have a comprehensive vision of risks which is not limited to the medical department which they belong to, as it was the case with the ALARM method. It has been also valued as a useful brainstorming tool for improving the quality of pharmacological management as well as the patient care processes.

Besides, undertaking this experimentation has led to figure out three major weaknesses of the current prototype of 535 the ADOBPRIM tool which will be dealt with in future versions. The first one is related to consistency of multi-view 536 models. As shown in Figure 5, BPRIM Meta-model comprises views on risk, business process, organization, and value. 537 These multiple views bring inevitable syntactically and semantically overlaps when establishing the different diagrams 538 under ADOBPRIM. In this context, it will be crucial for the utility and the applicability of our multi-view modelling 539 method to keep these multiple views consistent and provide suitable visualizations. The second weaknesses concerns 540 the risk evaluation method implemented in ADOBPRIM. Currently, we only use a qualitative method. It will be also 541 interesting to integrate quantitative evaluation methods for a more comprehensive risk analysis. The third weakness 542 points out to the lack of algorithms and mechanisms in order to study the risks propagation and their impact on values 543 created by activities and which are interesting for stakeholders. 544

545 6. Conclusion

Risk consideration in enterprise engineering is of increasing importance since the business environment is becoming
 more and more competitive and unpredictable. This need has given rise to the risk-aware business process management
 (R-BPM) paradigm. It consists of the integration of risk aspects into business process management in order to increase
 the risk-awareness of an organization's business processes. R-BPM aims to improve global performance and robustness
 of business process management by enabling a strong collaboration between process and risk management teams.

Investigations and literature analysis that we conducted revealed the weakness of this paradigm with regard to maturity and theoretical foundations, which is necessary for structure, experiments and comprehensiveness, for the scientists as well as for professional practitioners. This research was therefore motivated by these needs.

⁵⁵⁴ Our main contribution consists in the design of the BPRIM framework as a path toward the first foundations for ⁵⁵⁵ risk-aware business process management. Adopting the vision of method concept from information technologies and ⁵⁵⁶ drawing upon the principles of enterprise architecture, BPRIM suggests an integrative approach with three components:

• A BPRIM life cycle based on coupling the stages of existing BPM and ERM life cycles. Considering information exchanged between the synchronized life cycle of process design and risk management, a set of models was identified and realized as diagrams regarding the input and output of each step.

• A conceptual unification of risk and process based on the coupling between the process meta-model proposed by the ISO/DIS 19440 and the risk meta-model that we have defined at a generic level. In this context, the concept of value has played the role of keystone between these two meta-models.

• A semi-formal graphical modeling language with meta-model and notation. We extended the ISO/DIS 19440 constructs with a new set of constructs for risk modeling. The outcome is a model, which is considered as the abstract syntax of risk enriched process-modeling languages. In order to support an operational usage, a visual concrete syntax is proposed by extending the eEPC notation.

For modeling artefacts conforming to the BPRIM language and automatically assessign risks at a business process level following to the BPRIM life cycle, a dedicated modeling tool called ADOBPRIM has been built on the ADOxx platform and was may openly available through the OMiLAB [25]. For evaluation purposes we applied the BPRIM method and the ADOBPRIM tool to the quality control of pharmacological management in a French hospital. We have chosen this application domain because the medication-use process in hospitals is a complex and knowledge-intensive one. Here, any process stage is indeed a source of potential errors that may cause risks to the patient's health. It is also a highly regulated process for which risk management practices have become an imperative by public authorities.

Thanks to the BPRIM method, we have analyzed risks in their business process context and we were able to evaluate them accordingly. The results obtained thanks to the ADOBPRIM tool were verified and validated by professionals in the field and were largely concordant or even more relevant in several cases than those obtained by the currently used method. Of course, this method is not limited to the health care sector. The generic character of the BPRIM meta-model makes it usable to any other sector, such as civil engineering, transportation, crisis management, etc.

Besides, the feedback gained from the experiment reveals few shortcomings about the current version of the 580 ADOBPRIM implementation which remain acceptable given its young maturity which is emphasized on the design-time 581 stage. To overcome these weaknesses, we are currently working on a new version of ADOBPRIM, which will integrate 582 new functionalities for risk management. We intend to enhance the run-time stage by adding new features to the 583 modeling environment such as simulation capabilities to: study risk propagation, evaluate risk impact, and stress 584 test control mechanisms. To these ends, currently the laboratory is conducting PhD research on business continuity 585 management and risk propagation analysis methods, the results of which will refine the proposed BPRIM method and 586 extend the ADOBPRIM tool. 587

588 Acknowledgement

The authors would like to show their gratitude to the Intercommunal Hospital Center of Castres-Mazamet and more specifically Dr. CUFI, the head of the Geriatric Department and Dr. CLEOSTRATE, the head of Inpatient Pharmacies who allowed us to evaluate our BPRIM method and ADOBPRIM tool on a real case and provided insights and expertise that greatly enhanced this research. We would also like to thank OMiLAB members for assistance with the ADOxx platform and for providing a collaborative space on their OMiLAB portal.

594 References

595 References

- T. Benedict, N. Bilodeau, P. Vitkus, E. Powell, D. Morris, M. Scarsig, D. Lee, G. Field, T. Lohr, R. Saxena, M. Fuller, J. Furlan, BPM CBOK
 Version 3.0: Guide to the Business Process Management Common Body of Knowledge, CreateSpace / ABPMP Association of Business
 Process Management Professionals, 3 edition, 2013.
- M. Dumas, M. La Rosa, J. Mendling, H. A. Reijers, Fundamentals of Business Process Management, Springer Berlin Heidelberg, Berlin,
 Heidelberg, 2018.
- [3] R. T. Burlton, Business Process Management: Profiting From Process, Sams publishing, Indianapolis, USA, 2001.
- P. Franz, M. Kirchmer, Value-driven Business Process Management: The Value-switch for Lasting Competitive Advantage, McGraw-Hill
 Professional, New York; Mexico City, 2014.
- [5] M. Blyth, Business Continuity Management: Building an Effective Incident Management Plan, John Wiley & Sons, Hoboken, NJ, 2009.
- [6] O. Rejeb, R. Bastide, E. Lamine, F. Marmier, H. Pingaud, A model driven engineering approach for business continuity management in
 e-health systems, in: 2012 6th IEEE International Conference on Digital Ecosystems and Technologies (DEST), IEEE, pp. 1–7.
- [7] R. J. Chapman, Simple Tools and Techniques for Enterprise Risk Management, John Wiley & Sons, Chichester, 2nd edition edition, 2011.
- [8] A. A. Nacer, C. Godart, G. Rosinosky, A. Tari, S. Youcef, Business process outsourcing to the cloud: Balancing costs with security risks,
 Computers in Industry 104 (2019) 59–74.
- [9] P. Radanliev, D. C. De Roure, R. Nicolescu, M. Huth, R. M. Montalvo, S. Cannady, P. Burnap, Future developments in cyber risk assessment
 for the internet of things, Computers in Industry 102 (2018) 14–22.
- [10] P. Bernus, T. Goranson, J. Gøtze, A. Jensen-Waud, H. Kandjani, A. Molina, O. Noran, R. J. Rabelo, D. Romero, P. Saha, et al., Enterprise
 engineering and management at the crossroads, Computers in Industry 79 (2016) 87–102.
- 614 [11] M. Rosemann, M. z. Muehlen, Integrating Risks in Business Process Models, ACIS 2005 Proceedings (2005).
- [12] D. I. Dickstein, R. H. Flast, No Excuses: A Business Process Approach to Managing Operational Risk, Wiley, Hoboken, N.J, 1 edition edition,
 2008.
- [13] S. Jakoubi, T. Neubauer, S. Tjoa, A roadmap to risk-aware business process management, in: 2009 IEEE Asia-Pacific Services Computing
 Conference (APSCC 2009)(APSCC), pp. 23–27.
- [14] S. Jakoubi, S. Tjoa, S. Goluch, G. Kitzler, Risk-Aware Business Process Management—Establishing the Link Between Business and Security,
 Complex Intelligent Systems and \ldots (2010) 1–26.

- [15] S. Suriadi, B. Weiß, A. Winkelmann, A. H. M. ter Hofstede, M. Adams, R. Conforti, C. Fidge, M. L. Rosa, C. Ouyang, M. Rosemann, A. Pika,
 M. Wynn, Current Research in Risk-Aware Business Process Management Overview, Comparison and Gap Analysis, Communications of the
 AIS (CAIS) 34 (2014).
- [16] M. Lankhorst, Enterprise Architecture at Work: Modelling, Communication and Analysis, Springer, Berlin, 3rd ed. 2013 edition edition, 2012.
 [17] K. Hinkelmann, A. Gerber, D. Karagiannis, B. Thoenssen, A. Van der Merwe, R. Woitsch, A new paradigm for the continuous alignment of
- business and it: Combining enterprise architecture modelling and enterprise ontology, Computers in Industry 79 (2016) 77-86.
- [18] A. Sienou, A. Karduck, H. Pingaud, Towards a framework for integrating risk and business process management, IFAC Proceedings Volumes
 39 (2006) 647–652.
- [19] A. Sienou, E. Lamine, H. Pingaud, A. Karduck, Aspects of the BPRIM language for risk driven process engineering, in: R. Meersman,
 P. Herrero, T. Dillon (Eds.), On the Move to Meaningful Internet Systems: Otm 2009 Workshops, volume 5872, Springer-Verlag Berlin, ????,
 pp. 172–183.
- [20] A. Sienou, Proposition d'un cadre méthodologique pour le management intégré des risques et des processus d'entreprise, Ph.D. thesis, Institut
 National Polytechnique de Toulouse, 2009.
- [21] D. Karagiannis, H. Kühn, Metamodelling Platforms, in: E-Commerce and Web Technologies, Third International Conference, EC-Web 2002,
 Aix-en-Provence, France, September 2-6, 2002, Proceedings, p. 182.
- [22] J. Mylopoulos, Conceptual modelling and telos, Conceptual Modelling, Databases, and CASE: an Integrated View of Information System
 Development, New York: John Wiley & Sons (1992) 49–68.
- [23] D. Bork, H.-G. Fill, Formal aspects of enterprise modeling methods: a comparison framework, in: System Sciences (HICSS), 2014 47th
 Hawaii International Conference on, IEEE, pp. 3400–3409.
- [24] D. Karagiannis, H. C. Mayr, J. Mylopoulos (Eds.), Domain-Specific Conceptual Modeling, Concepts, Methods and Tools, Springer, 2016.
- [25] D. Bork, R. A. Buchmann, D. Karagiannis, M. Lee, E.-T. Miron, An Open Platform for Modeling Method Conceptualization: The OMiLAB
 Digital Ecosystem, Communications of the Association for Information Systems 44 (2019) pp. 673–697.
- [26] M. F. Dallas, Value And Risk Management: A Guide to Best Practice, WB, Oxford ; Malden, MA, 2011.
- [27] A. ter Hofstede, Risk-Aware Business Process Management, 2011. 00035.
- [28] M. Jans, J. M. Van Der Werf, N. Lybaert, K. Vanhoof, A business process mining application for internal transaction fraud mitigation, Expert
 Systems with Applications 38 (2011) 13351–13359.
- [29] J. A. Wickboldt, L. A. Bianchin, R. C. Lunardi, L. Z. Granville, L. P. Gaspary, C. Bartolini, A framework for risk assessment based on analysis
 of historical information of workflow execution in it systems, Computer Networks 55 (2011) 2954–2975.
- [30] N. A. Panayiotou, S. Oikonomitsios, C. Athanasiadou, S. P. Gayialis, Risk assessment in virtual enterprise networks: A process-driven internal
 audit approach, in: Global Business: Concepts, Methodologies, Tools and Applications, IGI Global, 2011, pp. 888–910.
- [31] A. Rogge-Solti, M. Weske, Prediction of business process durations using non-markovian stochastic petri nets, Information Systems 54 (2015)
 1–14.
- B. Weiss, A. Winkelmann, Developing a process-oriented notation for modeling operational risks-a conceptual metamodel approach to
 operational risk management in knowledge intensive business processes within the financial industry, in: System Sciences (HICSS), 2011 44th
 Hawaii International Conference on, IEEE, pp. 1–10.
- [33] M. H. Haggag, A. E. Khedr, H. S. Montasser, A risk-aware business process management reference model and its application in an egyptian
 university, International Journal of Computer Science and Engineering Survey 6 (2015) 11.
- [34] K. Rotaru, C. Wilkin, L. Churilov, D. Neiger, A. Ceglowski, Formalizing process-based risk with value-focused process engineering, Information Systems and e-Business Management 9 (2011) 447–474.
- [35] A. Pika, W. M. van der Aalst, M. T. Wynn, C. J. Fidge, A. H. ter Hofstede, Evaluating and predicting overall process risk using event logs,
 Information Sciences 352 (2016) 98–120.
- [36] S. Strecker, D. Heise, U. Frank, Riskm: A multi-perspective modeling method for it risk assessment, Information Systems Frontiers 13 (2011)
 595–611.
- [37] R. Conforti, S. Fink, J. Manderscheid, M. Röglinger, Prism-a predictive risk monitoring approach for business processes, in: International
 Conference on Business Process Management, Springer, pp. 383–400.
- [38] S. Fenz, From the resource to the business process risk level, in: Proceedings of the South African Information Security Multi-Conference:
 Port Elizabeth, South Africa, 17-18 May 2010, Lulu. com, p. 100.
- [39] J. Kim, J. Lee, J. Lee, I. Choi, An integrated process-related risk management approach to proactive threat and opportunity handling: A framework and rule language, Knowledge and Process Management 24 (2017) 23–37.
- [40] X. Bai, R. Krishnan, R. Padman, H. J. Wang, On risk management with information flows in business processes, Information Systems Research
 24 (2012) 731–749.
- [41] A. Metzger, P. Bohn, Risk-based proactive process adaptation, in: International Conference on Service-Oriented Computing, Springer, pp. 351–366.
- [42] L. Shabnam, F. Haque, M. Bhuiyan, A. Krishna, Risk measure propagation through organisational network, in: 2014 IEEE 38th International
 Computer Software and Applications Conference Workshops, IEEE, pp. 217–222.
- [43] H. Lhannaoui, M. I. Kabbaj, Z. Bakkoury, Analyzing risks in business process models using a deviational technique, in: 9th International
 ⁶⁷⁷ Conference on Software Engineering and Applications (ICSOFT-EA), IEEE, pp. 189–194.
- [44] L. A. Shah, A. Etienne, A. Siadat, F. Vernadat, Process-oriented risk assessment methodology for manufacturing process evaluation, International Journal of Production Research 55 (2017) 4516–4529.
- [45] B. Pittl, H.-G. Fill, G. Honegger, Enabling risk-aware enterprise modeling using semantic annotations and visual rules, in: Proceedings of the
 25th European Conference on Information Systems (ECIS), AIS.
- [46] E. Cope, J. M. Küster, D. Etzweiler, L. Deleris, B. Ray, Risk Extensions to the BPMN 1.1 Business Process Metamodel, Technical Report, Technical Report RZ3740, IBM Research, 2009. 00003.
- E. W. Cope, J. Kuster, D. Etzweiler, L. A. Deleris, B. Ray, Incorporating risk into business process models, IBM Journal of Research and Development 54 (2010) 4–1.

- [48] E. W. Cope, L. A. Deleris, D. Etzweiler, J. Koehler, J. M. Kuester, B. K. Ray, System and method for creating and expressing risk-extended
 business process models, 2014. US Patent 8,862,491.
- [49] A. J. Varela-Vaca, R. M. Gasca, S. Pozo, Opbus: Risk-aware framework for the conformance of security-quality requirements in business
 processes, in: Proceedings of the International Conference on Security and Cryptography, IEEE, pp. 370–374.
- [50] A. J. Varela-Vaca, Opbus: A framework for improving the dependability of risk-aware business processes, AI Communications 29 (2016)
 233–235.
- [51] C. B. Haley, J. D. Moffett, R. Laney, B. Nuseibeh, A framework for security requirements engineering, in: Proceedings of the 2006 international
 workshop on Software engineering for secure systems, ACM, pp. 35–42.
- [52] B. Marcinkowski, M. Kuciapski, A business process modeling notation extension for risk handling, in: IFIP International Conference on Computer Information Systems and Industrial Management, Springer, pp. 374–381.
- [53] O. Altuhhov, R. Matulevičius, N. Ahmed, An extension of business process model and notation for security risk management, International Journal of Information System Modeling and Design (IJISMD) 4 (2013) 93–113.
- [54] S. Jakoubi, S. Tjoa, G. Quirchmayr, Rope: A methodology for enabling the risk-aware modelling and simulation of business processes., in:
 ECIS, pp. 1596–1607.
- [55] S. Jakoubi, S. Tjoa, S. Goluch, G. Kitzler, Risk-aware business process management—establishing the link between business and security, in:
 Complex Intelligent Systems and Their Applications, Springer, 2010, pp. 109–135.
- [56] S. Tjoa, S. Jakoubi, G. Goluch, G. Kitzler, S. Goluch, G. Quirchmayr, A formal approach enabling risk-aware business process modeling and simulation, IEEE Transactions on Services Computing (2011) 153–166.
- [57] S. Jakoubi, S. Tjoa, S. Goluch, G. Kitzler, A formal approach towards risk-aware service level analysis and planning, in: 2010 International Conference on Availability, Reliability and Security, IEEE, pp. 180–187.
- [58] S. Betz, S. Hickl, A. Oberweis, Risk-aware business process modeling and simulation using xml nets, in: Commerce and enterprise computing
 (cec), 2011 IEEE 13th conference on, IEEE, pp. 349–356.
- [59] U. Frank, The MEMO meta modelling language (MML) and language architecture, Technical Report, ICB-research report, 2011.
- [60] D. Bork, D. Karagiannis, B. Pittl, A Survey of Modeling Language Specification Techniques, Information Systems (2019) in press.
- [61] R. Conforti, M. de Leoni, M. La Rosa, W. M. van der Aalst, Supporting risk-informed decisions during business process execution, in: Advanced Information Systems Engineering, Springer, 2013, pp. 116–132.
- ⁷¹² [62] ISO, 31000:2009 Risk management Principles and guidelines, 2009.
- [63] H. von Scheel, M. von Rosing, M. Hove, M. Fonseca, U. Foldager, Phase 2: Process concept evolution, in: M. von Rosing, A.-W. Scheer,
 H. von Scheel (Eds.), The Complete Business Process Handbook, Morgan Kaufmann, ????, pp. 11–35.
- ⁷¹⁵ [64] ISO, 19440:2007 Enterprise integration Constructs for enterprise modelling, 2007.
- [65] A. Sienou, A. P. Karduck, E. Lamine, H. Pingaud, Business process and risk models enrichment: Considerations for business intelligence, in:
 2008 IEEE International Conference on e-Business Engineering, IEEE, pp. 732–735.
- 718 [66] L. Philippe, Méthodes et pratiques de la performance, Le pilotage par les processus et les compétences. Editions d'Organisation. Paris (2003).
- [67] M. Bosch, Modelisation pour la simulation de chaines de production de valeur en entreprise industrielle comme outil d'aide a la decision en
 phase de conception/industrialisation. IRCCyN. Nantes, FR, Ecole centrale de Nantes, Université de Nantes, Ph.D. thesis, Thèse de doctorat,
 2007.
- [68] M. Hammer, Champy. (1993). reengineering the corporation: A manifesto for business revolution, Nicholas Brealy, London (1).
- ⁷²³ [69] R. Davis, E. Brabander, ARIS design platform: getting started with BPM, Springer Science & Business Media, 2007.
- [70] A. Sienou, E. Lamine, A. P. Karduck, H. Pingaud, Towards a semi-formal modeling language supporting collaboration between risk and
 process manager, in: 2008 2nd IEEE International Conference on Digital Ecosystems and Technologies, IEEE, pp. 119–125.
- [71] A. Sienou, E. Lamine, A. Karduck, H. Pingaud, Conceptual model of risk: Towards a risk modelling language, in: Web Information Systems
 Engineering WISE 2007 Workshops, WISE 2007 International Workshops, Nancy, France, December 3, 2007, Proceedings, pp. 118–129.
- [72] ADOxx.org, The adoxx metamodeling platform, 2019. www.adoxx.org, last accessed: 27.06.2019.
- 729 [73] K. McNeill, Metamodeling with emf: Generating concrete, reusable java snippets, Extend Eclipse Ecore Metamodel IBM 21 (2008).
- [74] V. Viyović, M. Maksimović, B. Perisić, Sirius: A rapid development of dsm graphical editor, in: IEEE 18th International Conference on Intelligent Engineering Systems INES 2014, pp. 233–238.
- [75] J.-P. Tolvanen, M. Rossi, Metaedit+: defining and using domain-specific modeling languages and code generators, in: Companion of the 18th
 annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, ACM, pp. 92–93.
- [76] G. Decker, H. Overdick, M. Weske, Oryx An Open Modeling Platform for the BPM Community, in: M. Dumas, M. Reichert, M.-C. Shan (Eds.), Business Process Management, Lecture Notes in Computer Science, Springer Berlin Heidelberg, 2008, pp. 382–385.
- [77] S. Cook, G. Jones, S. Kent, A. Wills, Domain-specific Development with Visual Studio Dsl Tools, Addison-Wesley Professional, first edition,
 2007.
- [78] D. Bork, E. J. Sinz, Design of a SOM business process modelling tool based on the ADOxx meta-modelling platform, in: Pre-proceedings of
 the 4th international workshop on graph-based tools. University of Twente, Enschede, pp. 90–101.
- [79] C. Vincent, S. Taylor-Adams, E. J. Chapman, D. Hewett, S. Prior, P. Strange, A. Tizzard, How to investigate and analyse clinical incidents:
 clinical risk unit and association of litigation and risk management protocol, Bmj 320 (2000) 777–781.
- [80] M. Barcelona, L. García-Borgoñón, M. Escalona, I. Ramos, Cbg-framework: A bottom-up model-based approach for collaborative business
 process management, Computers in Industry 102 (2018) 1–13.
- [81] T. A. Vest, N. P. Gazda, D. H. Schenkat, S. F. Eckel, Practice-enhancing publications about the medication use process in 2017, American Journal of Health-System Pharmacy (2019).
- [82] L. L. Leape, D. W. Bates, D. J. Cullen, J. Cooper, H. J. Demonaco, T. Gallivan, R. Hallisey, J. Ives, N. Laird, G. Laffel, et al., Systems analysis of adverse drug events, Jama 274 (1995) 35–43.
- 748 [83] M. Bevilacqua, F. Ciarapica, G. Mazzuto, Fuzzy cognitive maps for adverse drug event risk management, Safety science 102 (2018) 194–210.